

## **Shadow Algorithm References Not Covered in the “Shadow Algorithms Data Miner” Book**

- **Section 1.2** - “A Comparative Perceptual Study of Soft-Shadow Algorithms”, M. Hecher, M. Bernhard, O. Mattausch, D. Scherzer, M. Wimmer, Transactions on Applied Perception, 2014. <http://www.cg.tuwien.ac.at/research/publications/2014/hecher-2014-MH/hecher-2014-MH-draft.pdf>
- **Section 2.1** – “Combining cutting edge shadow volume algorithms: using recent techniques to achieve a fast and robust shadow volume algorithm”, G. Siegal, M. Jensen. LAMBERT Academic Publishing, 2010. <http://www.amazon.com/Combining-Cutting-Shadow-Volume-Algorithms/dp/3838364023>
- **Section 2.1** – “A Survey of Shadow Volume Algorithms in Computer Graphics”, H. Kolivand, M. Sunar, IETE Tech Rev, 2013. <http://tr.ietejournals.org/text.asp?2013/30/1/38/107338>
- **Section 2.3.2** - “Efficient virtual shadow maps for many lights”, O. Olsson, E. Sintorn, V. Kämpe, M. Billeter, U. Assarsson, I3D, 2014. <http://dl.acm.org/citation.cfm?id=2556701>
- **Section 2.3.4** - “Adaptive depth bias for shadow maps”, H. Dou, Y. Yan, E. Kerzner, Z. Dai, C. Wyman, I3D, 2014. [http://homepage.cs.uiowa.edu/~dou/Paper/Adaptive\\_Depth\\_Bias\\_for\\_Shadow\\_Maps.pdf](http://homepage.cs.uiowa.edu/~dou/Paper/Adaptive_Depth_Bias_for_Shadow_Maps.pdf)
- **Section 2.3.7** – “Light space cascaded shadow maps algorithm for real time rendering”, X. Liang, S. Ma, L. Cen, Z. Yu, Journal of Computer Science and Technology, 26(1), pp. 176-186, 2011. <http://www.springerlink.com/content/66wh427q44286157/>
- **Section 2.3.7** – “Rectilinear texture warping for fast adaptive shadow mapping”, P. Rosen, *Proceedings of the ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, pp. 151-158, 2012. <http://www.cspaul.com/publications/Rosen.2012.I3D.pdf>
- **Section 2.3.7** – “Improved Ray Hierarchy Alias Free Shadows”, O. Olsson, U. Assarsson, Technical Report 2011:09, ISSN 1652-926X, 2011. <http://www.cse.chalmers.se/~uffe/ImprovedRayHierarchyAliasFreeShadows.pdf>
- **Section 2.3.7** – “Sub-pixel shadow mapping”, P. Lecocq, P. Gautron, J. Marvie, G. Sourimant, Short paper at SIGGRAPH, 2013 (and then at I3D, 2014). [http://jmarvie.free.fr/Publis/2013\\_SIGGRAPH/subPixelShadowMapping.pdf](http://jmarvie.free.fr/Publis/2013_SIGGRAPH/subPixelShadowMapping.pdf)
- **Section 2.4.2** - “Per-Triangle Shadow Volumes Using a View-Sample Cluster Hierarchy”, E. Sintorn, V. Kämpe, O. Olsson, U. Assarsson, I3D, 2014. <http://www.cse.chalmers.se/~uffe/clusteredpts2014.pdf>
- **Section 2.4.3** – “New Silhouette Detection Algorithm to Create Real-Time Volume Shadow”, H. Kolivand, M. Sunar, Workshop on Digital Media and Digital Content Management (IEEE) pp. 270-274, 2011. <http://dl.acm.org/citation.cfm?id=2014506>
- **Section 2.4.3** – “To Combine Silhouette Detection and Stencil Buffer for Generating Real-Time Shadow”, H. Kolivand, M. Sunar, International Journal of Computer Graphics, 2(1), pp.1-8, 2011. [http://www.academia.edu/1338960/To\\_Combine\\_Silhouette\\_Detection\\_and\\_Stencil\\_Buffer\\_for\\_Generating\\_Real-Time\\_Shadow](http://www.academia.edu/1338960/To_Combine_Silhouette_Detection_and_Stencil_Buffer_for_Generating_Real-Time_Shadow)
- **Section 2.4.3** – “Hybrid silhouette detection for real-time shadow volume”, H. Kolivand, M. Sunar, International Journal of Virtual Reality, 10(4), pp. 43-51, 2011.

[http://www.academia.edu/1338959/Hybrid\\_Silhouette\\_Detection\\_for\\_Real-Time\\_Shadow\\_Volume](http://www.academia.edu/1338959/Hybrid_Silhouette_Detection_for_Real-Time_Shadow_Volume)

- **Section 2.4.3** – “Real-time volume shadow using visible-non visible algorithm”, H. Kolivand, M. Sunar, A. Amirshakarami, A. Ranjbari, Journal of Computer Science, 7(7), pp. 980-985, 2011.  
<http://www.google.ca/url?sa=t&rct=j&q=shadow%20algorithm%202011&source=web&cd=11&ved=OCE0QFjAAOAO&url=http%3A%2F%2Fthescipub.com%2Fpdf%2F10.3844%2Ficssp.2011.980.985&ei= agIUpxJoH7qAHI3M3oBA&usq=AFQjCNFKeUWA1zjkFvL95WubOMvB2iMMzA>
- **Section 2.4.3** – “Real-time shadow using a combination of stencil and the z-buffer”, H. Kolivand, M. Sunar, M. Jusoh, F. Olufemi, International Journal of Multimedia and its Applications, 3(3), 2011. <http://airccse.org/journal/jma/3311ijma03.pdf>
- **Section 2.4.3** – “Tessellation-Independent Smooth Shadow Boundaries”, O. Mattausch, D. Scherzer, M. Wimmer, T. Igarashi, Eurographics Symposium on Rendering, 2012.  
<http://www.cg.tuwien.ac.at/research/publications/2012/MATTAUSCH-2012-TIS/MATTAUSCH-2012-TIS-draft.pdf>
- **Section 2.4.3** – “Robust Silhouette Shadow Volumes on Contemporary Hardware”, J. Peciva, T. Starka, T. Milet, J. Kobrtek, P. Zemcik, Proceedings of GraphiCon, pp. 56-59, 2013.  
[http://www.fit.vutbr.cz/research/view\\_pub.php?file=%2Fpub%2F10408%2F2013-RobustSilhouette-final.pdf&id=10408](http://www.fit.vutbr.cz/research/view_pub.php?file=%2Fpub%2F10408%2F2013-RobustSilhouette-final.pdf&id=10408)
- **Section 2.7** – “Shadow Mapping or Shadow Volume?”, H. Kolivand, M. Sunar, International Journal of New Computer Architectures and their Applications 1(2), pp. 64-70, 2011.  
<http://sdiwc.net/digital-library/web-admin/upload-pdf/00000024.pdf>
- **Section 4.5.1, 2.3.2** – “Fast percentage closer soft shadows using temporal coherence”, M. Schwarzler, C. Luksch, D. Scherzer, M. Wimmer, Symposium on Interactive 3D Graphics and Games, 2013. <http://www.cg.tuwien.ac.at/research/publications/2013/SCHWAERZLER-2013-FPCSS/>
- **Section 4.5.1** – “Variable Penumbra Soft Shadows for Mobile Devices”, A. Evans, J. Agenjo, J. Blat, Universitat Pompeu Fabra, 2013.  
[http://www.alunthomasevans.co.uk/publications/VariableMobileShadowMaps\\_CameraReady.pdf](http://www.alunthomasevans.co.uk/publications/VariableMobileShadowMaps_CameraReady.pdf)
- **Section 4.5.4** – “Multi-view soft shadows”, L. Bavoil. NVIDIA technical report, 2011.  
<http://developer.download.nvidia.com/assets/gamedev/files/sdk/11/MultiViewSoftShadows.pdf>
- **Section 4.5.4** – “Fast Accurate Soft Shadows with Adaptive Light Source Sampling”, M. Schwarzler, O. Mattausch, D. Scherzer, M. Wimmer, Vision, Modeling, and Visualization, 2012.  
<http://www.vrvis.at/publications/pdfs/PB-VRVis-2012-025.pdf>
- **Section 4.5.5** – “Predicted virtual soft shadow maps with high quality filtering”, S. Li, G. Guennebaud, B. Yang, J. Feng, Proceedings of Eurographics, 30(2), 2011.  
<http://www.cad.zju.edu.cn/home/jqfeng/papers/Predicted%20Virtual%20Soft%20Shadow%20Maps%20with%20High%20Quality%20Filtering.pdf>
- **Section 4.5.6, 2.3.1** – “Concentric Spherical Representation for Omnidirectional Soft Shadows”, Y. Xiao, C. Leung, T. Ho, L. Wan, T. Wong, Computer Graphics Forum, 2013.  
<https://diglib.org/EG/DL/CGF/volume32/issue6/v32i6pp201-213.pdf.abstract.pdf>

- **Section 4.5.6, 2.3.6** – “Exponential soft shadow mapping”, L. Shen, J. Feng, B. Yang, Eurographics Symposium on Rendering, 2013.  
<http://www.cad.zju.edu.cn/home/jqfeng/papers/Exponential%20Soft%20Shadow%20Mapping.pdf>
- **Section 4.7.1** – “Axis-Aligned Filtering for Interactive Sampled Soft Shadows”, S. Mehta, B. Wang, R. Ramamoorthi, SIGGRAPH Asia, 2012.  
<http://graphics.berkeley.edu/papers/UdayMehta-AAF-2012-12/UdayMehta-AAF-2012-12.pdf>
- **Section 4.8** – “Lazy visibility evaluation for exact soft shadows”, F. Mora, L. Aveneau, O. Apostu, D. Ghazanfarpour, Technical Report from University of Limoges and Poitiers, 2011. <http://hal-unilim.archives-ouvertes.fr/docs/00/62/67/01/PDF/mora-shadows.pdf>
- **Section 5.6.1** – “Voxelized shadow volumes”, C. Wyman, ACM SIGGRAPH Symposium on High Performance, pp. 33-40, 2011.  
<http://www.divms.uiowa.edu/~cwyman/publications/files/voxelShadowVols/voxelShadows.pdf>
- **Section 5.6.1** – “Imperfect voxelized shadow volumes”, C. Wyman, Short paper at SIGGRAPH, 2013.  
[http://homepage.cs.uiowa.edu/~cwyman/publications/files/imperfectVSV/s2013\\_ivsvTalk.pdf](http://homepage.cs.uiowa.edu/~cwyman/publications/files/imperfectVSV/s2013_ivsvTalk.pdf)
- **Section 5.6.1** – “Camera space volumetric shadows”, J. Hanika, P. Hillman, M. Hill, L. Fascione, Digital Production Symposium, 2012.  
[http://cg.ivd.kit.edu/publications/pubhanika/2012\\_camera\\_space.pdf](http://cg.ivd.kit.edu/publications/pubhanika/2012_camera_space.pdf)
- **Section 6.2** – “A review of shadow techniques in augmented reality”, Z. Noh, M. Sunar, Machine Vision, 2009.  
[http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=5381137&url=http%3A%2F%2Fieeexplore.ieee.org%2Fexpl%2Fabs\\_all.jsp%3Farnumber%3D5381137](http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=5381137&url=http%3A%2F%2Fieeexplore.ieee.org%2Fexpl%2Fabs_all.jsp%3Farnumber%3D5381137)
- **Section 6.2** – “The effects of shadow representation of virtual objects in augmented reality”, N. Sugano, H. Kato, K. Tachibana, Mixed and Augmented Reality, 2003.  
[http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=1240690&url=http%3A%2F%2Fieeexplore.ieee.org%2Fexpl%2Fabs\\_all.jsp%3Farnumber%3D1240690](http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=1240690&url=http%3A%2F%2Fieeexplore.ieee.org%2Fexpl%2Fabs_all.jsp%3Farnumber%3D1240690)
- **Section 6.2** – “Image based shadowing in real-time augmented reality”, P. Supan, I. Stuppacher, M. Haller, International Journal of Virtual Reality, 2006.  
<http://www.cse.cuhk.edu.hk/~hanqiu/Seminar/AS-9.pdf>
- **Section 6.2** – “Illuminating shadows: introducing shadow interaction in spatial augmented reality”, M. Gomez-Maureira, C. Teunisse, H. Schraffenberger, F. Verbeek, Chi Sparks, 2014.  
<http://chi-sparks.nl/2014/wp-content/uploads/2014/04/Gomez-Maureira-Chi-Sparks-2014.pdf>